

Safety Data Sheet

Luminy® PDLA neat resin

Revision Date 15/08/2018
Page 1 of 10
Date previous version 23/11/2017
Version 4.1 - EN

SAFETY DATA SHEET

Interested in solutions for bioplastics? Please contact us at
www.total-corbion.com pla@total-corbion.com

SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1. Product identifier

Product Name Luminy PDLA Neat resin

Trade name Luminy® D070
Luminy® D105
Luminy® D120
Luminy® D130

1.2. Relevant identified uses of the substance or mixture and uses advised against

Recommended Use Plastics.
Uses advised against Pharmaceutical, Medicinal products.

1.3. Details of the supplier of the safety data sheet

Total Corbion PLA
Arkelsedijk 46
4206 AC Gorinchem
The Netherlands
Tel: +31 183 695695
Fax: +31 183 695604
Email: pla@total-corbion.com

1.4. Emergency telephone number

UK National Health Service (NHS) call 111 or, in life-threatening emergencies, call 999

WAL National Health Service (NHS) call 0845 46 47

IE National Poisons Information Centre
+353 1 809 2566 or +353 1 837 9964 (only for healthcare professionals)

Total Corbion PLA
+31 183 695695

SECTION 2: HAZARDS IDENTIFICATION

2.1. Classification of the substance or mixture

Classification according to EU Regulation 1272/2008/EC Not classified.

2.2. Label elements

None.

2.3 Other hazards

This product does not meet the criteria for PBT or vPvB in accordance with Annex XIII of REACH.



© Copyright 2017 Total Corbion PLA. All rights reserved. No part of this publication may be copied, downloaded, reproduced stored in a retrieval system or transmitted in any form by any means, electronic, mechanical photocopied, recorded or otherwise, without permission of the publisher. No representation or warranty is made as to the truth or accuracy of any data, information or opinions contained herein or as to their suitability for any purpose, condition or application. None of the data, information or opinions herein may be relied upon for any purpose or reason. Total Corbion PLA disclaims any liability, damages, losses or other consequences suffered or incurred in connection with the use of this data, information or opinions contained herein. In addition, nothing contained herein shall be construed as a recommendation to use any products in conflict with existing patents covering any material or its use. TOTAL is a trademark owned and registered by Total S.A., used under license by Total Corbion PLA BV. CORBION is a trademark owned and registered by CORBION N.V. used under license by Total Corbion PLA BV.

Safety Data Sheet

Luminy® PDLA neat resin

Revision Date 15/08/2018
Page 2 of 10

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

3.1 Substances

Chemical Name	EC-No	CAS-No	Weight %	Classification (1272/2008/EC)	REACH Registration Number
Poly lactide resin	618-575-7	9051-89-2	>99	-	exempt

SECTION 4: FIRST AID MEASURES

4.1. Description of first aid measures

General advice	No hazards which require special first aid measures.
Eye contact	Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Get medical attention immediately if symptoms occur.
Skin contact	Wash off immediately with soap and plenty of water while removing all contaminated clothes and shoes. Get medical attention immediately if symptoms occur.
Ingestion	Rinse mouth. Get medical attention immediately if symptoms occur.
Inhalation	Move to fresh air. Get medical attention immediately if symptoms occur.
Protection of first-aiders	Use personal protective equipment. Avoid contact with skin, eyes and clothing.

4.2. Most important symptoms and effects, both acute and delayed

Main symptoms No acute and delayed symptoms and effects are observed.

4.3. Indication of any immediate medical attention and special treatment needed

Notes to physician Treat symptomatically.



© Copyright 2017 Total Corbion PLA. All rights reserved. No part of this publication may be copied, downloaded, reproduced stored in a retrieval system or transmitted in any form by any means, electronic, mechanical photocopied, recorded or otherwise, without permission of the publisher. No representation or warranty is made as to the truth or accuracy of any data, information or opinions contained herein or as to their suitability for any purpose, condition or application. None of the data, information or opinions herein may be relied upon for any purpose or reason. Total Corbion PLA disclaims any liability, damages, losses or other consequences suffered or incurred in connection with the use of this data, information or opinions contained herein. In addition, nothing contained herein shall be construed as a recommendation to use any products in conflict with existing patents covering any material or its use. TOTAL is a trademark owned and registered by Total S.A., used under license by Total Corbion PLA BV. CORBION is a trademark owned and registered by CORBION N.V. used under license by Total Corbion PLA BV.

Safety Data Sheet

Luminy® PDLA neat resin

Revision Date 15/08/2018
Page 3 of 10

SECTION 5: FIREFIGHTING MEASURES

5.1. Extinguishing media

Suitable Extinguishing Media Water spray, Foam, Dry powder, Carbon dioxide (CO₂).

Unsuitable Extinguishing Media Do not use a solid water stream as it may scatter and spread fire.

5.2. Special hazards arising from the substance or mixture

Special Hazard Hazardous decomposition products formed under fire conditions: Carbon oxides, Acetaldehyde.

5.3. Advice for firefighters

Fire fighting measures Evacuate non-essential personnel Move containers from fire area if you can do it without risk. Keep containers and surroundings cool with water spray. Prevent fire extinguishing water from contaminating surface water or the ground water system.

Special protective equipment for fire-fighters Wear self-contained breathing apparatus and protective suit.

SECTION 6: ACCIDENTAL RELEASE MEASURES

6.1. Personal precautions, protective equipment and emergency procedures

Evacuate personnel to safe areas. Do not touch or walk through spilled material. Avoid dust formation. Avoid contact with skin, eyes and clothing. Do not breathe dust. Use personal protective equipment. Ensure adequate ventilation.

6.2. Environmental precautions

Should not be released into the environment. Prevent further leakage or spillage if safe to do so.

6.3 Methods and material for containment and cleaning up

Avoid dust formation. Sweep up and shovel into suitable containers for disposal. Following product recovery, flush area with water.

6.4. Reference to other sections

See sections 8 and 13.



© Copyright 2017 Total Corbion PLA. All rights reserved. No part of this publication may be copied, downloaded, reproduced stored in a retrieval system or transmitted in any form by any means, electronic, mechanical photocopied, recorded or otherwise, without permission of the publisher. No representation or warranty is made as to the truth or accuracy of any data, information or opinions contained herein or as to their suitability for any purpose, condition or application. None of the data, information or opinions herein may be relied upon for any purpose or reason. Total Corbion PLA disclaims any liability, damages, losses or other consequences suffered or incurred in connection with the use of this data, information or opinions contained herein. In addition, nothing contained herein shall be construed as a recommendation to use any products in conflict with existing patents covering any material or its use. TOTAL is a trademark owned and registered by Total S.A., used under license by Total Corbion PLA BV. CORBION is a trademark owned and registered by CORBION N.V. used under license by Total Corbion PLA BV.

Safety Data Sheet

Luminy® PDLA neat resin

Revision Date 15/08/2018
Page 4 of 10

SECTION 7: HANDLING AND STORAGE

7.1 Precautions for safe handling

Handle in accordance with good industrial hygiene and safety practice. Avoid contact with skin, eyes and clothing. Avoid dust formation. Do not breathe dust. Ensure adequate ventilation. Wear personal protective equipment. Wash hands thoroughly after handling. Do not eat, drink or smoke when using this product.

7.2. Conditions for safe storage, including any incompatibilities

Store in accordance with local regulations. Keep containers tightly closed in a cool, well-ventilated place. Keep at temperatures below 50 °C / 122 °F. Protect from moisture, Water. To ensure the technical integrity of the product: Storage / Handle under nitrogen and protect from moisture.

7.3. Specific end use(s)

Exposure scenario Not available.

Other information Not available.



© Copyright 2017 Total Corbion PLA. All rights reserved. No part of this publication may be copied, downloaded, reproduced stored in a retrieval system or transmitted in any form by any means, electronic, mechanical photocopied, recorded or otherwise, without permission of the publisher. No representation or warranty is made as to the truth or accuracy of any data, information or opinions contained herein or as to their suitability for any purpose, condition or application. None of the data, information or opinions herein may be relied upon for any purpose or reason. Total Corbion PLA disclaims any liability, damages, losses or other consequences suffered or incurred in connection with the use of this data, information or opinions contained herein. In addition, nothing contained herein shall be construed as a recommendation to use any products in conflict with existing patents covering any material or its use. TOTAL is a trademark owned and registered by Total S.A., used under license by Total Corbion PLA BV. CORBION is a trademark owned and registered by CORBION N.V. used under license by Total Corbion PLA BV.

Safety Data Sheet

Luminy® PDLA neat resin

Revision Date 15/08/2018
Page 5 of 10

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1. Control parameters

Exposure Limits Contains no substances with occupational exposure limit values.

Biological Limit Values Not established.

Recommended monitoring procedures No information available.

Derived No Effect Level (DNEL) No information available.

Predicted No Effect Concentration (PNEC) No information available.

8.2. Exposure controls

Appropriate engineering controls Ensure adequate ventilation, especially in confined areas. Keep at temperatures below 230 °C / 446 °F.

Individual protection measures, such as personal protective equipment

Eye protection

Tightly fitting safety goggles (EN166).

Hand Protection

Protective gloves (EN374): Butyl rubber. Glove thickness: 0.5 mm. Break through time: >8 hours.

Skin and body protection

Long sleeved clothing.

Respiratory protection

In case of insufficient ventilation wear suitable respiratory equipment.

Recommended Filter Type

P2 / FFP2.

Hygiene Measures

Handle in accordance with good industrial hygiene and safety practice. Workers must be trained in the proper use and handling of this product as required under applicable regulations. Do not eat, drink or smoke when using this product. Wash hands before breaks and immediately after handling the product. Wash contaminated clothing before re-use.

Environmental Exposure Controls

The product should not be allowed to enter drains, water courses or the soil.



© Copyright 2017 Total Corbion PLA. All rights reserved. No part of this publication may be copied, downloaded, reproduced stored in a retrieval system or transmitted in any form by any means, electronic, mechanical photocopied, recorded or otherwise, without permission of the publisher. No representation or warranty is made as to the truth or accuracy of any data, information or opinions contained herein or as to their suitability for any purpose, condition or application. None of the data, information or opinions herein may be relied upon for any purpose or reason. Total Corbion PLA disclaims any liability, damages, losses or other consequences suffered or incurred in connection with the use of this data, information or opinions contained herein. In addition, nothing contained herein shall be construed as a recommendation to use any products in conflict with existing patents covering any material or its use. TOTAL is a trademark owned and registered by Total S.A., used under license by Total Corbion PLA BV. CORBION is a trademark owned and registered by CORBION N.V. used under license by Total Corbion PLA BV.

Safety Data Sheet

Luminy® PDLA neat resin

Revision Date 15/08/2018
Page 6 of 10

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

9.1. Information on basic physical and chemical properties

Physical state @20°C	Solid
Appearance	Pellets
Colour	White / opaque
Odour	Odourless
pH	Not applicable
Melting/freezing point	150-230 °C / 302-446 °F
Boiling point/boiling range	Not applicable
Flash point	Not applicable
Evaporation rate	Not applicable
Flammability (solid, gas)	Not flammable
Flammability Limits in Air	Not applicable
Vapour pressure	Not applicable
Vapour density	Not applicable
Relative density	No information available
Solubility	
Water solubility	Insoluble
Partition Coefficient (n-octanol/water)	Not applicable
Autoignition temperature	No information available
Decomposition temperature	> 230 °C / > 446 °F
Viscosity, dynamic	Not applicable
Viscosity, kinematic	Not applicable
Explosive properties	Not explosive
Oxidising properties	Not oxidizing

9.2 Other information

Density	1,2-1,3 g/cm ³
---------	---------------------------



© Copyright 2017 Total Corbion PLA. All rights reserved. No part of this publication may be copied, downloaded, reproduced stored in a retrieval system or transmitted in any form by any means, electronic, mechanical photocopied, recorded or otherwise, without permission of the publisher. No representation or warranty is made as to the truth or accuracy of any data, information or opinions contained herein or as to their suitability for any purpose, condition or application. None of the data, information or opinions herein may be relied upon for any purpose or reason. Total Corbion PLA disclaims any liability, damages, losses or other consequences suffered or incurred in connection with the use of this data, information or opinions contained herein. In addition, nothing contained herein shall be construed as a recommendation to use any products in conflict with existing patents covering any material or its use. TOTAL is a trademark owned and registered by Total S.A., used under license by Total Corbion PLA BV. CORBION is a trademark owned and registered by CORBION N.V. used under license by Total Corbion PLA BV.

Safety Data Sheet

Luminy® PDLA neat resin

Revision Date 15/08/2018
Page 7 of 10

SECTION 10: STABILITY AND REACTIVITY

10.1. Reactivity

No information available

10.2. Chemical stability

Stable under recommended storage conditions.

10.3 Possibility of hazardous reactions

Hazardous polymerisation does not occur.

10.4. Conditions to avoid

Temperatures above 230 °C / 446 °F.

10.5. Incompatible materials

Moisture, Water.

10.6. Hazardous decomposition products

Hazardous decomposition products formed under fire conditions: Carbon oxides, Acetaldehyde.

SECTION 11: TOXICOLOGICAL INFORMATION

11.1. Information on toxicological effects

Acute toxicity	
Ingestion	No known effect.
Skin contact	No known effect.
Inhalation	No known effect.
Skin corrosion/irritation	No known effect.
Serious eye damage/irritation	No known effect.
Respiratory or skin sensitisation	No known effect.
Germ cell mutagenicity	Not known to cause heritable genetic damage.
Carcinogenicity	Contains no ingredient listed as a carcinogen.
Reproductive toxicity	Not known to cause birth defects or have a deleterious effect on a developing fetus. Not known to adversely affect reproductive functions and organs.
STOT-single exposure	No known effect.
STOT-repeated exposure	No known effect.
Aspiration hazard	No known effect.



© Copyright 2017 Total Corbion PLA. All rights reserved. No part of this publication may be copied, downloaded, reproduced stored in a retrieval system or transmitted in any form by any means, electronic, mechanical photocopied, recorded or otherwise, without permission of the publisher. No representation or warranty is made as to the truth or accuracy of any data, information or opinions contained herein or as to their suitability for any purpose, condition or application. None of the data, information or opinions herein may be relied upon for any purpose or reason. Total Corbion PLA disclaims any liability, damages, losses or other consequences suffered or incurred in connection with the use of this data, information or opinions contained herein. In addition, nothing contained herein shall be construed as a recommendation to use any products in conflict with existing patents covering any material or its use. TOTAL is a trademark owned and registered by Total S.A., used under license by Total Corbion PLA BV. CORBION is a trademark owned and registered by CORBION N.V. used under license by Total Corbion PLA BV.

Safety Data Sheet

Luminy® PDLA neat resin

Revision Date 15/08/2018
Page 8 of 10

SECTION 12: ECOLOGICAL INFORMATION

12.1. Toxicity

Contains no substances known to be hazardous for the environment.

12.2. Persistence and degradability

Decomposes in contact with water. Hydrolysis product (S-lactic acid): Readily biodegradable.

12.3. Bioaccumulative potential

No information available.

12.4. Mobility in soil

No information available.

12.5. Results of PBT and vPvB assessment

This product is not considered to be persistent, bioaccumulative and toxic (PBT) or very persistent and very bioaccumulative (vPvB).

12.6. Other adverse effects

No information available.

SECTION 13: DISPOSAL CONSIDERATIONS

13.1. Waste treatment methods

Waste from residues / unused products Dispose of in accordance with local regulations.

Contaminated packaging Empty containers should be taken to an approved waste handling site for recycling or disposal.



© Copyright 2017 Total Corbion PLA. All rights reserved. No part of this publication may be copied, downloaded, reproduced stored in a retrieval system or transmitted in any form by any means, electronic, mechanical photocopied, recorded or otherwise, without permission of the publisher. No representation or warranty is made as to the truth or accuracy of any data, information or opinions contained herein or as to their suitability for any purpose, condition or application. None of the data, information or opinions herein may be relied upon for any purpose or reason. Total Corbion PLA disclaims any liability, damages, losses or other consequences suffered or incurred in connection with the use of this data, information or opinions contained herein. In addition, nothing contained herein shall be construed as a recommendation to use any products in conflict with existing patents covering any material or its use. TOTAL is a trademark owned and registered by Total S.A., used under license by Total Corbion PLA BV. CORBION is a trademark owned and registered by CORBION N.V. used under license by Total Corbion PLA BV.

Safety Data Sheet

Luminy® PDLA neat resin

Revision Date 15/08/2018
Page 9 of 10

SECTION 14: TRANSPORT INFORMATION

According to: ADR, RID, ADN, IMDG, IATA/ICAO.

14.1. UN number

Not regulated.

14.2. UN proper shipping name

Not regulated.

14.3. Transport hazard class(es)

Not regulated.

14.4. Packing group

Not regulated.

14.5 Environmental hazards

Not applicable.

14.6 Special precautions for user

Not applicable.

14.7 Transport in bulk according to Annex II of MARPOL and the IBC Code

Not applicable.

SECTION 15: REGULATORY INFORMATION

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Restrictions on use None.

Other Regulations No information available.

15.2 Chemical safety assessment

No information available.



© Copyright 2017 Total Corbion PLA. All rights reserved. No part of this publication may be copied, downloaded, reproduced stored in a retrieval system or transmitted in any form by any means, electronic, mechanical photocopied, recorded or otherwise, without permission of the publisher. No representation or warranty is made as to the truth or accuracy of any data, information or opinions contained herein or as to their suitability for any purpose, condition or application. None of the data, information or opinions herein may be relied upon for any purpose or reason. Total Corbion PLA disclaims any liability, damages, losses or other consequences suffered or incurred in connection with the use of this data, information or opinions contained herein. In addition, nothing contained herein shall be construed as a recommendation to use any products in conflict with existing patents covering any material or its use. TOTAL is a trademark owned and registered by Total S.A., used under license by Total Corbion PLA BV. CORBION is a trademark owned and registered by CORBION N.V. used under license by Total Corbion PLA BV.

Safety Data Sheet

Luminy® PDLA neat resin

Revision Date 15/08/2018
Page 10 of 10

SECTION 16: OTHER INFORMATION

Full text of H-Statements referred to under sections 2 and 3	Not applicable.
Revision Note	Indication of the changes made to the previous version of the SDS: Section 3
Training Advice	Workers must be trained in the proper use and handling of this product as required under applicable regulations.
Abbreviations and acronyms	REACH: Registration, Evaluation, Authorisation and Restriction of Chemical substances EC: European Commission STOT: Specific Target Organ Toxicity PBT: Persistent, Bioaccumulative, Toxic vPvB: very Persistent and very Bioaccumulating ADR: Accord européen relatif au transport international des marchandises Dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road) ADN: Accord européen relatif au transport international des marchandises Dangereuses par voies de Navigation intérieures (European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways) RID: Règlement concernant le transport international ferroviaire des marchandises dangereuses (Regulations for the International Transport of Dangerous Goods by Rail) IMDG: International Maritime Dangerous Goods Code ICAO: International Civil Aviation Organization
SDS No.	CO00049
Subformat	CTEU

This safety data sheet complies with the requirements of Regulation (EC) No. 1907/2006 and Regulation (EC) No. 2015/830. Label element according to Regulation (EC) No 1272/2008.

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of Safety Data Sheet



© Copyright 2017 Total Corbion PLA. All rights reserved. No part of this publication may be copied, downloaded, reproduced stored in a retrieval system or transmitted in any form by any means, electronic, mechanical, photocopied, recorded or otherwise, without permission of the publisher. No representation or warranty is made as to the truth or accuracy of any data, information or opinions contained herein or as to their suitability for any purpose, condition or application. None of the data, information or opinions herein may be relied upon for any purpose or reason. Total Corbion PLA disclaims any liability, damages, losses or other consequences suffered or incurred in connection with the use of this data, information or opinions contained herein. In addition, nothing contained herein shall be construed as a recommendation to use any products in conflict with existing patents covering any material or its use. TOTAL is a trademark owned and registered by Total S.A., used under license by Total Corbion PLA BV. CORBION is a trademark owned and registered by CORBION N.V. used under license by Total Corbion PLA BV.